


monza

GRANITO



STORY



It has been our pleasure to serve as one of Morbi's renowned tile companies. Monza is an ISO 9001:2008 & CE certified company. Since decade we have been procuring raw materials at Gujarat's Morbi region, the Ceramic hub of INDIA.

Our expertise dwells in manufacturing, plant maintenance, quality production and marketing of ceramic tiles. Deep understanding and knowledge of advanced technology from Italian ceramic machinery pioneer has enabled Monza to produce top class commodities.

Several lab tests are responsible for the unquestionable quality and fabulous finishing of each Monza tile.

However, though the Calibro Planar machine imported from Italy is no less than a magic by monitoring the dimensions and thickness of tiles. Sincerest efforts of our employees and team members are something that keeps us going smooth and growing.



Grace, Grandeur, Home.

Where Elegance
Meets Everyday.

Beyond the walls and beneath the matt,
Luxury lives in the thoughtful design,
The effortless flow, and the enduring
Beauty crafted to stand the test of time,
this is more than a home—it's a testament
To your beauty. A refined sanctuary where
Luxury breathes through every detail and
Elegance defines the atmosphere.




(20) MM
THICKNESS


600x600mm



600x900mm



600x1200mm



Inspired by
Nature, Perfected for
the Outdoors

Built for heavy loads and high foot traffic,
our 20mm tiles are engineered to last.

The 20mm collection is tailored for modern
architects and landscape designers who value
both performance and design integrity.



CRAFTED TO HARMONIZE WITH THE NATURAL WORLD

our 20mm outdoor tiles bring earthy textures and organic tones to every corner of your exterior space.

Whether you're creating a serene garden path or a rustic terrace, this collection offers beauty that blends seamlessly with nature.

Built to Endure.
Designed to Inspire.



ADVANTAGES >



Easy To Maintain



UV Resistant



Non-slip



Fire Resistant



Dimensional Stability



Resistant To Chemicals



Heat Resistant



Ecological



Water Proof



Frost Resistant

INDEX

STONE SERIES



ALMOND BEIGE



AZZURRO



BEIGE TRAVERTINE



BELGIAN BLUE GREY



BELGIAN BLUE DARK GREY



BISCUIT GREY



BISCUIT BEIGE



BLUESTONE DARK




BLUESTONE LIGHT



BLUESTONE LIGHT GREY



BLUESTONE GREY



CEPPO DI GRES GREY



DOLOMITY BEIGE



DOLOMITY GREY



EGYPT LIME STONE



EXQUISITE GREY



FOSSIL GREY



HAMMER STONE BEIGE



KERAM SPORT LIGHT



KERAM SPORT GREY



PEPPER DARK



PETRA BEIGE



PIETRA GREY



PIETRA ANTHRACITE



PORFIDO COTTO



PORFIDO GRIGIO



SAND STONE BEIGE



SAND STONE GREY



SAND STONE WHITE



SHEPRA BEIGE



SOHO CREMA



SOHO BROWN



STONE BLACK



TIERRA BEIGE



TIERRA IVORY

INDEX

SLATE SERIES



ARDOSIA MULTI



ARDOSIA BLACK



BLOOM ANTHRACITE



BLOOM GREY



BLOOM ICE



CLEAR QUARTZITE



DISK BEIGE



GREY QUARTZITE



JEWELL CAMEL



JEWELL SMOKEY



JEWELL ASHEN



KANDLA GREY



PACIFIC BIANCO



PACIFIC GREY



PACIFIC CREMA



PACIFIC NERO



PAVER GOLDEN WHITE



PAVER QUARZO GREY



RUSTY SLATE



STATION WHITE



STATION PEARL



STATION IRON

WOOD SERIES



LUCAS BETULLA



LUCAS CANITIA




MAPLE WOOD

INDEX

CONCRETE SERIES



ANTHRACITE CREAM



BASALTINO



CAPPUCCINO BEIGE



CAPPUCCINO GREY



CEMENTO LIGHT



CEMENTO DARK



DOVER TAUPE



DURSTONE TAUPE



DURSTONE WHITE



LATTE



MINT BEIGE



MINT CREAM



MINT FOSSIL



MIRAJ BLACK




MYSTONE BEIGE



MYSTONE MUD



MYSTONE FOG



NOVOLA TUPE



SILVER CREMA




SURROUND GREY



SURROUND ANTHRACITE

ALMOND BEIGE



Available Size

600x1200mm | 600x900mm | 600x600mm

20

MM

THICKNESS

 | IVORY BODY | PUNCH



BACK TO

RANGE





AZZURRO



Available Size

600x600mm

20

MM


THICKNESS

|

BLACK BODY

|

PUNCH



BACK TO

RANGE





BEIGE TRAVERTINE



Available Size
600x1200mm | 600x900mm | 600x600mm

20

MM

THICKNESS

 | IVORY BODY | PUNCH



BACK TO

RANGE





BELGIAN SERIES




BELGIAN BLUE GREY



BELGIAN BLUE DARK GREY


BELGIAN BLUE DARK GREY



Available Size

600x1200mm | 600x900mm | 600x600mm

(20)MM
THICKNESS | GREY BODY | PUNCH



 **BACK TO RANGE**





BISCUIT SERIES




BISCUIT GREY



BISCUIT BEIGE

BISCUIT GREY



Available Size

600x1200mm | 600x900mm | 600x600mm



GREY BODY | PUNCH





BLUESTONE SERIES



BLUESTONE LIGHT



BLUESTONE LIGHT GREY




BLUESTONE GREY




BLUESTONE DARK

BLUESTONE LIGHT GREY



Available Size
600x1200mm | 600x900mm | 600x600mm

20MM THICKNESS | BLACK BODY | PUNCH



 BACK TO RANGE





CEPPO DI GRES GREY



Available Size

600x600mm



20MM
THICKNESS

| **GREY BODY** | PUNCH





DOLOMITY SERIES




DOLOMITY BEIGE



DOLOMITY GREY

DOLOMITY GREY



Available Size
600x1200mm | 600x600mm

(20)

MM

THICKNESS

 | GREY BODY | PUNCH



👉

BACK TO RANGE





EGYPT LIME STONE



Available Size

600x1200mm | 600x900mm | 600x600mm

(20)MM
THICKNESS | **IVORY** BODY | **PUNCH**



 | **BACK TO RANGE**



EXQUISITE GREY



Available Size

600x1200mm | 600x900mm | 600x600mm

(20)MM
THICKNESS | GREY BODY | PUNCH




 BACK TO
RANGE





FOSSIL GREY



Available Size

600x1200mm | 600x600mm

20

MM


THICKNESS

|

GREY BODY


|

PUNCH



BACK TO

RANGE





HAMMER STONE BEIGE



Available Size


600x1200mm | 600x600mm

(20)

MM


THICKNESS

 | IVORY BODY | PUNCH




BACK TO

RANGE





KERAM SPORT LIGHT



Available Size


600x1200mm | 600x900mm | 600x600mm

(20)

MM

THICKNESS


 | GREY BODY | PUNCH




BACK TO

RANGE






KERAM SPORT GREY



Available Size

600x1200mm | 600x900mm | 600x600mm

(20)MM
THICKNESS | GREY BODY | PUNCH




 | **BACK TO RANGE**





PEPPER DARK



Available Size

600x1200mm | 600x900mm | 600x600mm

20

MM

THICKNESS


|

GREY BODY | PUNCH



BACK TO

RANGE





PETRA BEIGE



Available Size

600x600mm

(20)MM
THICKNESS | **IVORY** BODY | **PUNCH**



 **BACK TO
RANGE**





PIETRA SERIES



PIETRA GREY



PIETRA ANTHRACITE

PIETRA GREY



Available Size
600x600mm

20

MM

THICKNESS

|

GREY BODY

|

PUNCH



BACK TO

RANGE





PORFIDO SERIES



PORFIDO COTTO



PORFIDO GRIGIO

PORFIDO GRIGIO



Available Size

600x1200mm

20

MM

THICKNESS

 | COLOUR BODY | PUNCH



BACK TO

RANGE





SAND STONE SERIES



SAND STONE WHITE




SAND STONE GREY



SAND STONE BEIGE

SAND STONE GREY



Available Size

600x1200mm | 600x900mm | 600x600mm



GREY BODY | PUNCH





SHEPRA BEIGE



Available Size

600x1200mm | 600x600mm

(20)

MM

THICKNESS

 | IVORY BODY | PUNCH



BACK TO

RANGE





SOHO SERIES




SOHO CREMA



SOHO BROWN

SOHO CREMA




Available Size
600x1200mm | 600x600mm

20

MM

THICKNESS

 | IVORY BODY | PUNCH



👉

BACK TO RANGE





STONE BLACK



Available Size


600x1200mm | 600x900mm | 600x600mm

(20)

MM

THICKNESS

 | BLACK BODY | PUNCH



BACK TO

RANGE





TIERRA SERIES



TIERRA IVORY



TIERRA BEIGE

TIERRA IVORY



Available Size

600x1200mm | 600x600mm

20

MM

THICKNESS

 | IVORY BODY | PUNCH



BACK TO

RANGE





ARDOSIA SERIES



ARDOSIA MULTI



ARDOSIA BLACK

ARDOSIA BLACK



Available Size

600x1200mm | 600x900mm | 600x600mm

20

MM

THICKNESS

 | BLACK BODY | PUNCH



BACK TO

RANGE





BLOOM SERIES



BLOOM ICE



BLOOM GREY



BLOOM ANTHRACITE

BLOOM GREY



Available Size
600x1200mm | 600x900mm | 600x600mm

20

MM

THICKNESS

 | GREY BODY | PUNCH



BACK TO

RANGE





CLEAR QUARTZITE



Available Size

600x600mm

20

MM

THICKNESS

|

IVORY

BODY

|


PUNCH



BACK TO

RANGE





DISK BEIGE



Available Size
600x600mm

(20)

MM

THICKNESS

 | IVORY BODY | PUNCH




BACK TO

RANGE





GREY QUARTZITE



Available Size


600x1200mm | 600x900mm | 600x600mm

20

MM

THICKNESS

| BLACK BODY | PUNCH



BACK TO
RANGE






JEWELL SERIES



JEWELL CAMEL



JEWELL ASHEN



JEWELL SMOKEY

JEWELL SMOKEY



Available Size
600x1200mm | 600x900mm | 600x600mm

(20)MM
THICKNESS | BLACK BODY | PUNCH



 BACK TO
RANGE





KANDLA GREY



Available Size

600x1200mm | 600x900mm | 600x600mm

20

MM

THICKNESS

|

GREY BODY

|


PUNCH



BACK TO

RANGE





PACIFIC SERIES




PACIFIC BIANCO



PACIFIC GREY




PACIFIC CREMA



PACIFIC NERO

PACIFIC GREY



Available Size
600x1200mm | 600x900mm | 600x600mm

20

MM

THICKNESS

 | IVORY BODY | PUNCH



BACK TO

RANGE





PAVER GOLDEN WHITE



Available Size
600x1200mm | 600x900mm | 600x600mm

(20)MM
THICKNESS | **IVORY BODY** | **PUNCH**



 **BACK TO RANGE**





PAVER QUARZO GREY



Available Size

600x1200mm | 600x900mm | 600x600mm

(20)

MM

THICKNESS


 | GERY BODY | PUNCH



BACK TO

RANGE





RUSTY SLATE



Available Size

600x1200mm | 600x900mm | 600x600mm

(20)

MM

THICKNESS

 | BLACK BODY | PUNCH



BACK TO

RANGE





STATION SERIES



STATION WHITE



STATION PEARL



STATION IRON

STATION PEARL



Available Size

600x1200mm | 600x900mm | 600x600mm

(20)

MM

THICKNESS

 | IVORY BODY | PUNCH



BACK TO

RANGE





LUCAS SERIES



LUCAS CANITIA



LUCAS BETULLA

LUCAS BETULLA



Available Size

600x1200mm | **300x1200mm**



MM | **IVORY BODY** | **PUNCH**





MAPLE WOOD



Available Size

600x1200mm

(20)

MM

THICKNESS

 | IVORY BODY | PUNCH




BACK TO

RANGE





ANTHRACITE CREAM





Available Size

600x600mm




MM
THICKNESS

| **GREY BODY** | PUNCH






BASALTINO




Available Size
600x1200mm | 600x900mm | 600x600mm

(20)MM
THICKNESS | **BLACK** BODY | PUNCH



 | **BACK TO RANGE**





CAPPUCCINO SERIES




CAPPUCCINO BEIGE



CAPPUCCINO GREY

CAPPUCCINO GREY




Available Size

600x1200mm | 600x900mm | 600x600mm




MM
THICKNESS

| GREY BODY | PUNCH






CEMENTO SERIES




CEMENTO LIGHT



CEMENTO DARK

CEMENTO LIGHT




Available Size

600x1200mm | 600x900mm | 600x600mm




GREY BODY | PUNCH





DOVER TAUPE



Available Size

600x1200mm | 600x900mm | 600x600mm

20

MM

THICKNESS

|

IVORY BODY

|

PUNCH



BACK TO

RANGE





DURSTONE TAUPE



Available Size

600x600mm

20

MM


THICKNESS

|

IVORY BODY


|

PUNCH



BACK TO

RANGE





DURSTONE WHITE



Available Size

600x1200mm | 600x900mm | 600x600mm

(20)

MM

THICKNESS

 | IVORY BODY | PUNCH



BACK TO

RANGE





LATTE



Available Size

600x1200mm | 600x900mm | 600x600mm

(20)

MM

THICKNESS


 | IVORY BODY | PUNCH



👉

BACK TO

RANGE






MINT SERIES



MINT CREAM



MINT BEIGE



MINT FOSSIL

MINT FOSSIL



Available Size

600x1200mm | 600x900mm | 600x600mm

(20)

MM

THICKNESS

 | IVORY BODY | PUNCH



👉

BACK TO RANGE





MIRAJ BLACK



Available Size

600x600mm

20

MM

THICKNESS

| BLACK BODY | PUNCH




BACK TO

RANGE






MYSTONE SERIES



MYSTONE FOG



MYSTONE BEIGE



MYSTONE MUD

MYSTONE BEIGE



Available Size

600x600mm


20

MM

THICKNESS


|


IVORY BODY | PUNCH



BACK TO

RANGE





NOVOLA TUPE




Available Size
600x900mm

(20)

MM


THICKNESS

 | IVORY BODY | PUNCH




👉

BACK TO RANGE





SILVER CREMA



Available Size


600x1200mm | 600x600mm

20

MM


THICKNESS

 | GREY BODY | PUNCH




BACK TO

RANGE



SURROUND SERIES



SURROUND GREY



SURROUND ANTHRACITE

SURROUND GREY



Available Size


600x600mm

20

MM

THICKNESS

| GREY BODY | PUNCH



BACK TO


RANGE






Suggestive Laying Patterns For Distinctive Space


The versatile collection allows you to achieve distinct spaces. The standard dimensions of tiles are crafted to match varied spaces and help you transform what you envisioned. The dynamism in the exclusive patterns is crafted to showcase excellence and elegance in equal measure.




600x600mm-44% | 298x600mm-39%
298x298mm-17%




600x800mm 44% | 298x600mm-39%
298x298mm-17%




600x600mm-14% | 298x600mm-63%
298x298mm-23%




600x600mm -41% | 298x600mm-36%
298x298mm 23%




600x600mm-40% | 298x600mm-44%
298x298mm-16%




600x600mm-44% | 298x600mm-39%
298x298mm-17%




600x600mm-57% | 298x600mm-30%
298x298mm-13%




600x600mm-41% | 298x600mm-36%
298x298mm-23%




298x600mm-70% | 298x298mm-30%




298x600mm-76% | 298x298mm-24%




298x600mm-49% | 298x298mm-31%




600x600mm-45% | 298x600mm-30%
298x298mm-25%




600x600mm-62% | 298x600mm-25%
298x298mm-13%




600x600mm-56% | 298x600mm-28%
298x298mm-16%



298x600mm-40% | 298x298mm-60%



298x600mm-75% | 298x298mm-25%



298x600mm-78% | 298x298mm-22%



TECHNICAL SPECIFICATION

	Test Description	ISO 13006/EN176 (Group Bla)	Our Value	Remark
1	Length & Width	±0.6%	±0.3MM	Passed
2	Thickness 14 MM	±5%	±0.3MM	Passed
3	Straightness of Sides	±0.5%	±0.3%	Passed
4	Rectangularity	±0.6%	±0.3%	Passed
5	Surface flatness	±0.5%	+0.35mm to -0.1mm	Passed
6	Surface quality	Minimum 95%	Minimum 95%	Passed
7	Water Absorption	<0.5%	< 0.04%	Passed
8	Breaking Strength	> 1300N	> 1500N	Passed
9	Flexural strength (Average)	>35N/mm ²	>40N/mm ²	Passed
10	Scratch hardness of surface (Moh's scale)	>6	>6	Passed
11	Resistance to deep Abrasion	<175mm3	<144mm3	Passed
12	Skid Resistance (Friction coefficient)	> 0.4	> 0.4	Passed
13	Bulk Density, in (g/cc)	>2	>2	Passed
14	Linear Thermal Expansion	< 9 x 10 ⁻⁶ K ⁻¹ , Max	< 9 x 10 ⁻⁶ K ⁻¹ , Max	Passed
15	Thermal shock Resistance	No damage	No damage	Passed
16	Frost resistance	Frost proof	Frost proof	Passed
17	Resistance to Chemicals	Resistance	Resistance	Passed
18	Resistance to Stain	Resistance	Resistance	Passed
19	Moisture expansion	Nil	Nil	Passed
20	Colour Resistance	Resistance	Resistance	Passed
21	Glossiness (Polished)	-	-	Passed

Note: Colors shown are as accurate as the limitations of the printing process will allow, Prospective customers are advised to inspect a sample of the tile before ordering. Every effort has been made to ensure the accuracy of the information given. However, the company reserves the right to change the specifications without any notice. Sometimes variations in shade or site being inherent to ceramic industry may occur. Before fixing, we advice you to follow the fixing instructions on the cartons of the tiles as no responsibility can be accepted by the company once the tiles have been fixed.

20MM THICKNESS PACKING DETAILS

4- SIZE PACKING		
NO.	SIZE	PCS
1	600x900mm	13
2	600x600mm	13
3	600x295mm	13
4	295x295mm	9
	TOTAL SQ.MTR	14.78

3- SIZE PACKING		
NO.	SIZE	PCS
1	600x600mm	24
2	600x295mm	36
3	295x295mm	36
	TOTAL SQ.MTR	18.14

3- SIZE PACKING		
NO.	SIZE	PCS
1	600x600mm	28
2	600x295mm	34
3	295x295mm	20
	TOTAL SQ.MTR	17.84

1- SIZE PACKING		
NO.	SIZE	PCS
1	600x900mm	28
	TOTAL SQ.MTR	15.12

1- SIZE PACKING WHITE BOX PACKING		
NO.	SIZE	PCS
1	600x1200mm	22
	TOTAL SQ.MTR	15.84

1- SIZE PACKING		
NO.	SIZE	PCS
1	600x600mm	40
	TOTAL SQ.MTR	14.4

1- SIZE PACKING WHITE BOX PACKING/PER BOX 2PCS		
NO.	SIZE	PCS
1	600x600mm	34
	TOTAL SQ.MTR	24.48



MONZA GRANITO PVT. LTD.

📍 : Regd. Office: Survey No. 151, Jetpar Road,
At. Bela, Morbi - 363 642, Gujarat, INDIA

☎ : +91 97122 65000

✉ : marketing.monzagrano@gmail.com



Instagram



Facebook



Catalouge